



WALL

# CONFECTIONERY™

GLAZED CERAMIC WALL

 **daltile**®  
IMAGINE WHAT'S POSSIBLE™



Cover photo features Confectionery™ Crushed Berry, Birthday Cake & Wintergreen on the wall. Above photo features Confectionery™ Licorice on the wall.

## A Delectable Treat

Indulge your senses into the monochromatic look of Confectionery™. This decadent assortment will tickle your taste buds with its retro design. From stripes and arrows to diamonds and chevron, the patterns you can customize are limitless. Enjoy sweet style with this charming, mid-century modern collection.

- DELIGHTFUL DESIGN
  - Decorated with a striped triangle using Reveal Imaging® Technology that creates a tone-on-tone look with matte and satin finishes
  - Six retro-inspired colors and three neutrals in white, beige and black
- BEAUTIFULLY CURATED
  - 6 x 6 wall tile and 12 inch jolly with a coordinating monochromatic color in a matte finish
  - A mid-century modern look manufactured in the USA



**POST-CONSUMER RECYCLED MATERIALS**



**PRE-CONSUMER RECYCLED MATERIALS**



**MADE IN THE U.S.A.**



**VISUAL IMAGING™**

All or select items within this series meet the requirements for these qualifications. For more information visit [daltile.com](http://daltile.com).

### USAGE

Floors

Walls

Countertops



W



WALL TILE




BIRTHDAY CAKE CY20



SALTED CARAMEL CY21




LICORICE CY22




LEMON DROP CY23




WINTERGREEN CY24




GUM DROP CY25



PIXIE STICK CY26



CRUSHED BERRY CY27




BLUEBERRY COBBLER CY28

WALL


# CONFECTIONERY™

GLAZED CERAMIC


## PATTERNS




CHEVRON




DIAMOND




STRIPES



MISALIGNED STRIPES




ARROW



RANDOM

**SIZES**

			Thickness	Sq. Ft./ Carton	Pieces/ Carton
	6 x 6 Wall Tile	(6" x 6") (15.31 cm x 15.31 cm)	5/16"	12.50	50

**APPLICATIONS**


	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	✓

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A1371-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest™, visit [daltile.com/DCOF](http://daltile.com/DCOF).


**APPLICATION NOTES:**

Suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

**TRIM**

Type	Number	Size	Pieces per Carton
 Jolly	S1/212J	1/2 x 12	12

**INSTALLATION**

Grout Joint Recommendation	Shade Variation
Wall: 1/16"	 Low (V1)

**PERFORMANCE CHARACTERISTICS**

	ASTM#	Result
Water Absorption	C373	< 20.0%
Breaking Strength	C648	120-230 lbs
Scratch Hardness	MOHS	4.0 - 6.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For additional information on test results, visit us at: [daltile.com/information/TestResults](http://daltile.com/information/TestResults).

**NOTES**

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A1371 standards.

For additional information refer to "Factors to Consider" at: [daltile.com/Factors](http://daltile.com/Factors).



DESIGNED TO HELP EARN LEED™  
 CREDITS. For more detailed information,  
 visit [daltilegreenworks.com](http://daltilegreenworks.com).

7834 C.F. Hawn Freeway,  
 Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of  
 Daltile® products and information,  
 visit our website at [daltile.com](http://daltile.com).



IMAGINE WHAT'S POSSIBLE™

©2019 Daltile (1/19)