



WALL

MULTITUDE™
GLAZED CERAMIC

 **daltile®**
IMAGINE WHAT'S POSSIBLE™



Cover photo features Urban Grey Wave and Origami White Hexagon 12 x 24 wall tile.
Above photo features Domino Black 12 x 24 Wave and Hexagon wall tile.

A Marvelous Canvas of Color and Texture

With a subtle finish and pronounced patterns, Multitude™ tile gives you a different look at every glance. It differentiates itself with a combination of rich colors and a 3-D pinstriped graphic that underlies flat, hexagonal and wave patterns. Offered in five vibrant colors and a large modern size, this design adds depth and character to any room.

- MODERN DESIGN
 - Alluring textures provide visual depth and interest
 - Customize your wall design with this series of distinctive, coordinating combinations
- ENDLESS FLEXIBILITY
 - Offered in large modern 12 x 24 tile size
 - Five-color palette easily coordinates with any room
 - 3-D pinstripe graphic underlies flat, hexagonal and wave patterns that continue seamlessly from one tile to the next



POST-CONSUMER
RECYCLED MATERIALS



PRE-CONSUMER
RECYCLED MATERIALS



TRU-EDGE



VISUAL IMAGING™

WALL TILE (Shown in Flat)




ORIGAMI WHITE MU16



Close-up
of tile

WALL TILE (Shown in Wave)




ORIGAMI WHITE MU16

WALL TILE (Shown in Hexagon)



ORIGAMI WHITE MU16



MODERN KHAKI MU17



Close-up
of tile



MODERN KHAKI MU17



URBAN GREY MU18




Close-up
of tile




URBAN GREY MU18




URBAN GREY MU18



NOSTALGIC BLUE MU19



Close-up
of tile




NOSTALGIC BLUE MU19




DOMINO BLACK MU20



Close-up
of tile



DOMINO BLACK MU20




DOMINO BLACK MU20

WALL

MULTITUDE™

GLAZED CERAMIC

SIZES

			Thickness	Sq. Ft. per Carton	Pieces per Carton
	12 x 24 Wall Tile	(11-3/4" x 23-3/4") (29.90 cm x 60.42 cm)	5/16"	15.52	8

APPLICATIONS

	Suitable
Floors	
Walls/Backsplashes	✓
Countertops	
Pool Linings	

APPLICATION NOTES:

Suitable for exterior applications in non-freezing climates only when proper installation methods are followed.

JOLLY TRIM – SOLID COLORS



ORIGAMI WHITE MU21



MODERN KHAKI MU22



URBAN GREY MU23




NOSTALGIC BLUE MU24



DOMINO BLACK MU25

TRIM

	Type	Number	Size	Pieces per Carton
	12" Jolly	S-1/212J	1/2 x 11-15/16	12

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" (when used in a staggered brick-joint pattern; overlap should not exceed 33%)*	 Low (V1)

TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 20.0%
Breaking Strength	C648	120-230 lbs.
Scratch Hardness	MOHS	4.0-6.0
Chemical Resistance	C650	Resistant

NOTES

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to daltile.com/LargeTiles for more information.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at daltile.com/Factors.



DESIGNED TO HELP EARN LEED™ CREDITS. For more detailed information, visit daltilegreenworks.com.



SCAN QR CODE FOR PRODUCT INFORMATION

Get a QR Code reader at: GET.DALTILE.COM



7834 C. F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltile.com.



IMAGINE WHAT'S POSSIBLE™

©2016 Dal-Tile Corporation (8/16)